
































Type - Tipo - Typ Type - Tipo	Size - Grandezza - Grösse Taille - Tamaño	Mounting - Montaggio Montage - Fixation Tipo de montaje	Rapporto - Ratio Untersetzung Reduction - Relacion	Output shaft Albero uscita Abtriebswelle Arbre de sortie Eje en salida
M	H62C	C	12.39	-E
<p>Parallel shaft helical Riduttori ad assi paralleli</p>  <p>With IEC motor M</p>	<p>1 Stage Riduzione Stufe Trains Etapas</p> <p>2 Stages Riduzioni Stufen Trains Etapas</p> <p>3 Stages Riduzioni Stufen Trains Etapas</p> <p>Cast Iron/Ghisa/Grauguss/Fonfe/Fundicion</p>	 <p>Hollow output shaft C</p>	<p>See technical data table</p> <p>Vedi tabelle dati tecnici.</p> <p>Technisches Datenblatt beachten</p> <p>Voir Tableau données techniques</p> <p>Ver tabla datos técnicos</p>	 <p>STANDARD ⇒ Only on request for Q.ty A richiesta per quantità</p>
 <p>With motor flange P</p>	<p>H61C H71C H81C</p> <p>H62C H72C H82C</p> <p>H63C H73C H83C</p>	 <p>Single output shaft A</p>		<p>H61C H62C H63C -E ⇒ $\varnothing 35$ -F ⇒ $\varnothing 40$</p> <p>H71C H72C H73C -F ⇒ $\varnothing 40$ -G ⇒ $\varnothing 45$</p> <p>H81C H82C H83C -H ⇒ $\varnothing 50$ -I ⇒ $\varnothing 55$</p>
<p>7</p>  <p>With male input shaft R</p>		 <p>Shrink Disk D</p> <p>Only on request for Q.ty A richiesta per quantità</p>		<p>A</p>  <p>Single output shaft</p> <p>-N H61/2/3C ⇒ $\varnothing 35$ -O H71/2/3C ⇒ $\varnothing 40$ -K H81/2/3C ⇒ $\varnothing 50$</p>
 <p>Modular base B</p> <p>Not available for: H61C, H71C, H81C, H82C</p>		 <p>Stainless steel hub I</p> <p>On request for q.ty</p> <p>Stainless steel hub Mozzo in acciaio Inox Edelstahlhohlwelle Moyeu en acier Inox Nucleo corona de acero Inox</p>		<p>D</p>  <p>Shrink disk</p> <p>-T H62/3C ⇒ $\varnothing 35$ -U H72/3C ⇒ $\varnothing 40$ -V H82/3C ⇒ $\varnothing 50$</p>



On request we can deliver our products according to the ATEX
 A richiesta possiamo fornire i nostri prodotti secondo le normative ATEX
 Auf Anfrage können wir unsere Produkte den Richtlinien ATEX entsprechend liefern
 Sur demande nos produits peuvent se conformer à la réglementation ATEX
 A pedido, se pueden enviar nuestros productos de acuerdo con las normas ATEX.

Type - Tipo - Typ Types - Tipo	Output flange Flangia uscita Ausgangsflansch Bride de sortie Brida en salida	Motor size - Grandezza motore Motor Grösse Motor Grösse Grandeur moteur - Tamaño motor	Terminal box position Posizione morsettiera Klemmkastenlage Position boîte à bornes Posición caja de bornes	Mounting position Posizione montaggio Einbaulage Position de montage Posición de montaje	Coupling Giunto Kupplung Joint Juntura
-N	N	-C	B	B3	C
 <p>-N Senza flangia Without flange</p>	 <p>N Senza flangia Without flange H61C H62C H63C 4 → ∅250 H71C H72C H73C 4 → ∅250 5 → ∅300 H81C H82C H83C 5 → ∅300 6 → ∅350 7 → ∅400</p>	<p>Flange Flangia </p> <p>Type R Tipo R </p> <p>B5 -A=56 (∅120) -B=63 (∅140) -C=71 (∅160) -D=80 (∅200) -E=90 (∅200) -F=100+112 (∅250) -G=132 (∅300) -H=160 (∅350) -I=180 (∅350)</p>	 <p>A</p>  <p>B STANDARD</p>  <p>C</p>  <p>D</p>	 <p>B3 STANDARD</p>  <p>B6</p>  <p>B7</p>  <p>B8</p>	<p>0 Without coupling Senza giunto</p> 
 <p>-F Whit output flange con flangia uscita</p>		<p>Without flange Senza flangia </p> <p>-M → With coupling H63C H73C -1 → ∅14 (71B5) -2 → ∅19 (80B5) -3 → ∅24 (90B5) -4 → ∅28 (100B5)</p> <p>H62C H72C H83C -2 → ∅19 (80B5) -3 → ∅24 (90B5) -4 → ∅28 (100B5)</p>		 <p>V5</p>  <p>V6</p>  <p>V8</p>	<p>- Nothing indication: standard bore Nessuna indicazione: foro standard COUPLING</p>  <p>A = 9mm B = 11mm C = 14mm D = 19mm E = 24mm F = 28mm</p>